

VI Semester B.C.A. Examination, May 2017 (2016 – 17 & Onwards) (CBCS) COMPUTER SCIENCE BCA 601: Theory of Computation

Time: 3 Hours

Max. Marks: 100

Instruction: Answer all Sections.

SECTION - A

Answer any ten questions. Each question carries two marks.

 $(10 \times 2 = 20)$

- 1. Define Finite Automata.
- 2. Define DFA. Mention the types of Finite Automata.
- 3. Build an regular expression that generates a string with even number of 0's followed by odd number of 1's.
- 4. What is Pumping Lemma?
- 5. What are terminal and non-terminal symbols in grammar?
- 6. What is left most derivation in CFG?
- 7. What are the different types of grammar?
- 8. Mention the 7 types of PDA.
- 9. Define GNF.
- 10. What are useful and useless symbols in grammar?
- 11. What is Turing Machine?
- 12. What are the different types of Turing Machine?

SECTION-B

Answer any five questions. Each question carries five marks.

 $(5 \times 5 = 25)$

- 13. Mention five differences between DFA and NFA.
- 14. Construct a DFA to accept the string 'abba'.

P.T.O.



- 15. Explain the various applications of Regular expressions.
- Obtain the left most and right most derivations for the string 00112. The production rules are given by

$$P = \{S \rightarrow AB$$

$$A \rightarrow 01 \mid 0A1$$

$$B \rightarrow \in |2B|$$


- 17. Prove that $S \rightarrow aSbS/bSaS/ \in$ is ambiguous.
- 18. Write a short note on Chomsky hierarchy of languages.
- 19. Write down the steps for conversion of DFA to CFG.
- 20. Explain halting problem of Turing Machine.

SECTION - C

Answer any three questions. Each question carries fifteen marks.

(15×3=45)

21. Convert the following NFA to its equivalent DFA.



- 22. Construct a NFA with \in for $(0 + 1)^* 1 (0 + 1)$.
- 23. Explain the block diagram of Pushdown automata with its components, specification, language and transition table.
- 24. Transform the CFG into GNF

$$S \rightarrow AB$$

$$A \rightarrow BS \mid 1$$

$$B \rightarrow SA \mid 0$$



25. a) Explain Post's Correspondence Problem (PCP).

8

b) Explain intersection and homomorphism property of Regular languages.

7

SECTION-D

Answer any one question.

26. Find the minimized DFA for the following transition table:

10

| | δ | a | b |
|---------------|---------|---|---|
| \rightarrow | Α | В | Α |
| | В | Α | C |
| | C_{i} | D | В |
| | *D | D | Α |
| | Е | D | F |
| | F | G | E |
| | G | F | G |
| | Н | G | D |

27. Design a Turing Machine that accepts the language of all strings over the alphabet $\sum = \{a, b\}$ whose second letter is 'b'. 10